HUNTINGTON COUNTY: Key Data Points

- A significantly higher percentage of mothers in the county are utilizing prenatal care during the first trimester, compared to the state overall (89.2% versus 80.6% respectively)
- The county observe a significantly higher percentage of women smoking during pregnancy, as compared to the state (26.7% versus 18.5% respectively)
- Howard county witnessed 7 accidental deaths (2 of which were motor vehicle) and 4 suicidal deaths

Note: All figures relate to 2004 data from the Indiana State Department of Health, unless otherwise specified

Figure 1: Births

	To	tal	Wh	nite	Bla	ıck	Oth	ner
	Number	Crude Rate*	Number	Crude Rate*	Number	Crude Rate*	Number	Crude Rate*
Huntington County	499	13.1	494	13.2	0	0(U)	5	8.7(U)
INDIANA	87,125	14.0	75,680	13.7	9,582	17.5	1,863	11.7

^{*} births per 1,000 population; U = unstable rate, based on fewer than 20 births

Figure 2: Infant Mortality

			NUI	MBER			RATE*	
COUNTY OF	REPORTED RACE/	Live	Infant Deaths (< 1 yr)	Neonatal Deaths (< 28 days)	Post Neonatal Deaths	Infant Deaths (< 1 yr)	Neonatal Deaths (< 28 days)	Post Neonatal Deaths
RESIDENCE	ETHNICITY	Births			(28-364 days)			(28-364 days)
HUNTINGTON	All Races	499	3	2	1	**	**	**
	White	494	3	2	1	**	**	**
	Black	0	0	0	0	0.0	0.0	0.0
	Other	5	0	0	0	0.0	0.0	0.0
	Hispanic	7	0	0	0	0.0	0.0	0.0
INDIANA	All Races	87,125	702	472	230	8.1	5.4	2.6
	White	75,680	522	354	168	6.9	4.7	2.2
	Black	9,582	164	105	59	17.1	11.0	6.2
	Other	1,863	16	13	3	**	**	**
	Hispanic	7,237	65	50	15	9.0	6.9	**

^{*}rate per 1,000 live births **Numerator is less than 20 and the rate is unstable

Figure 3: Outcome Indicators of Mother, by Race

		Birth V	Veight			During P	regnancy	
HUNTINGTON COUNTY	Total Births	% Low (< 2500 grams)	% Very Low (< 1500 grams)	% Preterm [†]	% PNC 1st	% Alcohol	% Smoked	% Unmarried Parents
White	494	6.9	0.8	8.7	88.3(S)	0.8	25.9(S)	34.6
Black	0	**	**	**	**	**	**	**
All Races	499	7.0	1.3	7.8	80.2	0.6	24.2(s)	41.1


		Birth W	/eight			During Pregnancy		
	Total	% Low	% Very Low	% Preterm	% PNC 1st	%	%	% Unmarried
INDIANA	Births	(< 2500 grams)	(< 1500 grams)	t	Trimester ‡	Alcohol	Smoked	Parents
All Races	87,125	8.1	1.5	10.2	79.3	0.6	18.0	38.8
White	75,680	7.4	1.3	9.9	80.8	0.6	18.8	34.4
Black	9,582	13.7	3.0	13.9	67.1	0.9	14.4	77.9


[†] Preterm: less than 37 weeks gestation

Figure 4: Breastfeeding

HUNTINGTON COUNTY	All Races	White	Black
Total Births	499	494	0
Breastfeeding on Discharge	365	360	0
% Breastfeeding on Discharge	73.1	72.9	

INDIANA	All Races	White	Black
Total Births	87,125	75,680	9,582
Breastfeeding on Discharge	55,556	49,825	4,269
% Breastfeeding on Discharge	63.8	65.8	44.6





[‡] PNC: Prenatal Care 'S' Significantly different than the state percent

^{&#}x27;**' Outcomes for this county are suppressed due to 20 or fewer total births

Figure 5: HIV/AIDS

	Total # of AIDS cases reported since 1982*	Total # of HIV cases reported since 1985*
HUNTINGTON	18	8
COUNTY		
INDIANA	7,989	3,945

^{*}numbers current through June 2006

Figure 6: Nutritional Risk Factors by Status,

Indiana WIC Clinics, Quarter Ending 09/30/2004

Local Agenc Counties Inc	-	-	•			ngton, I	Randolph
	T		ears of Ag		,	8,	%
Risk Factor or Status	White	Black	Hispanic	Asian	Other	Total	within Agency
Overweight	58	2	5	0	0	65	4.4 %
At Risk for becoming Overweight	80	2	6	0	0	88	6.0%
Local Agency: State Wide							

Counties Inc.	Counties Included: All								
	Children 1-5 years of Age								
Risk Factor or Status	White	Black	Hispanic	Asian	Other	Total	within Agency		
Overweight	1,732	445	800	12	97	3,086	4.8%		
At Risk for becoming Overweight	2,023	485	639	11	124	3,282	5.1%		

	Priority Benchmarks (Huntington &	& Indiana)	
L	Demographics: Percentage of population enrolled in Medicaid, Percentage of population enrolled in Food Stamps.	Huntington	Indiana
1	% of Population enrolled in Medicaid as of June 2003	10.2	12.4
2	% of Population in Food Stamps Program, 2005	6.2	9.0
	Priority #1 (pregnancy outcomes): Average Infant Mortality Rate, Average Fetal death Rate	Huntington	Indiana
1	Av Total Infant Death Rate (1995-2004)	5.4	7.9
2	Average Fetal Death Rate (1995-2004)	6.8	6.6
A1	Priority #2 (reduce barriers): Health Professional Shortage reas, Percentage of women with prenatal care in first trimester	Huntington	Indiana
1	Scores for Primary Care Health Professional Shortage Areas (HPSAs) (2005)	No Score	NA
2	% PNC 1st Trimester†, 2004	88.4	79.3
I	Priority #4 (environmental): Prevalence of asthma, Childhood lead poisoning	Huntington	Indiana
1	Prevalence of Asthma in a Medicaid Cohort of Children age 0-17 years, 2003	16.1	10.4
2	%Estimated Lead Blood Levels (%EBLL) for Children under 6 years old FY 2005-2006	2.42	2.42
Pr	riority #5 (tobacco): Percentage of mothers who smoked during pregnancy, Percentage of Adult Smoking	Huntington	Indiana
1	% of mothers Smoked During Pregnancy, 2004	25.7	18.0
2	% of Adult Smoking in 2003	30.7	29.3
Pı	riority #7 (adolescent risk behaviors): Adolescent deaths due to motor vehicle accidents, Chlamydia rates (ages 15-24).	Huntington	Indiana
1	Number of Adolescent (15-24) deaths due to Motor vehicle accidents (2002-2004)	5	771
2	Chlamydia rates per 100,000 county specific population (15-24yrs of Age)	538.93	1602.35
	Priority #8 (obesity): Obesity in pregnant women	Huntington	Indiana
1	Number of Obese Pregnant Women In Indiana, 2004	21	2,827
I	Priority #9 (domestic violence, childhood injury): Child deaths due to Injury, Child abuse and neglect rates	Huntington	Indiana
1	Child deaths due to Injury 1-14yrs (2002-2004)	2	279
2	Child Abuse and Neglect per 1,000 Population under age 18, 2004	10	13.5
(riority #10 (To improve racial and ethnic disparities in women of childbearing age, mothers, and children's health outcomes): Percentage of Hispanic Population of any Race, LBW Disparity Ratio	Huntington	Indiana
1	% of Hispanic Population of any Race, 2005	1.0	4.5
1			

Source: Data Analysis Team, ISDH; Health Resources and Service Administration; Indiana Prevention Resource Center; Data analysis team, Office of Medicaid Policy & Planning. Notes: 1. NS= Not Stable 2. NA = Not Available 3. Infant Mortality rate and

Fetal Death rate is for 1000 live births. 4. Low Birth Weight: Birth Weight Less than 2,500grams. 5. HPSA Score ranges 1 – 25. The higher the score, the higher the need. 6. EBLL: Ten (10) micrograms of lead per deciliter of whole blood for one venous test; %EBLL is based on screening rate of 27% Statewide, unduplicated kids 7. Obesity in Pregnant Women determined by "Concurrent Illness Obesity" checkbox on the birth certificate 8. PNC percentages are calculated using total births in each County.